



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/586,480	06/01/2000	Frank Reisinger	P00.0955	8303

7590 12/01/2004

Steven H Noll
Schiff Hardin & Waite
Patent Department
6600 Sears Tower
Chicago, IL 60606

EXAMINER

CHARLES, DEBRA F

ART UNIT	PAPER NUMBER
----------	--------------

3628

DATE MAILED: 12/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

21

Office Action Summary	Application No. 09/586,480	Applicant(s) REISINGER, FRANK	
	Examiner Debra F. Charles	Art Unit 3628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 November 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Response to Arguments

1. In response to the attorney's remarks received November 4, 2004, the Final Office Action has been reversed.
2. Applicant's arguments with respect to claims 1-14 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-4,6-12 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubatzki et al.(EP 0805 419 A2), Aas(U.S.PAT. 5754881 A) and Simionescu et al.(U.S.PAT. 005963650A). The examiner is using U.S.PAT. 6298337 A also Kubatzki et al. as the translation for Kubatzki et al. (EP 0805 419 A2) and is using the line and column numbers from the Kubatzki et al.(EP 0805 419 A2) reference.

Re claim 1: Kubatzki et al.(EP 0805 419 A2) disclose an arrangement for loading rate table data comprising:

Art Unit: 3628

a postage meter(Abstract, col. 4, lines 10-50);

an external scale having a postage calculator(col. 1, line 40-col. 2, line 15);

receives rate table data from an external source(col. 10, lines 5-20, Fig. 4b, esp. item 2037).

Kubatzki et al.(EP 0805 419 A2) disclose(s) the claimed invention except a switchover module connected between said postage meter, said scale and said modem and having a control line for setting a switching state of said switchover module and the switchover module. However, in Abstract, Fig. 5, item 530, col. 1, lines 55-col. 2, line 25, and col. 2, line 65-col. 3, line 65 thereof, Aas disclose(s) a method for controlling a switch on the parallel port of a computer to select between multiple peripherals and peripherals include modems, meters and scales. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2) based on the teachings of Aas. The motivation to combine these references is to effectively control the flow of data into the postage meter or scale. Further, as indicated in Gil in col. 1, lines 10-20, a combination of an electronic postage computing scale, and a postage meter that can be electronically activated and sets itself on the denomination is old and well-known in the mailing art.

Kubatzki et al.(EP 0805 419 A2) and Aas disclose(s) the claimed invention except a serially-operating modem which to selectively serially conduct downloading of data directly from said external source via the modem. However, in col. 11, line 15-col. 12,

line 25, col. 13, lines 10-25, Table 1, col. 15, lines 60-67, col. 18, lines 45-60, col. 19,

lines 15-55, thereof Simionescu et al. discloses serial communications, modem capability, downloading data to bypass a bottleneck feature. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2) and Aas based on the teachings of Simionescu et al. The motivation to combine these references is to effectively work around a known bottleneck in the computer data download process.

Re claim 2: Kubatzki et al.(EP 0805 419 A2) disclose a postage meter machine containing said postage meter(Abstract, col. 4, lines 10-50).

Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. disclose(s) the claimed invention except wherein said switchover module is contained within said postage meter machine. However, in the Abstract, Fig. 5, item 530, col. 1, lines 55-col. 2, line 25, and line 65-col. 3, line 65 thereof, Aas disclose a switchover module that controls data flow into peripheral devices. It would be obvious to one of ordinary skill in the art at the time the invention was made to use a switchover module that controls data flow into peripheral devices since it has been held that rearranging parts of an invention involves only routine skill in the art. In re Japikse, 181 F.2d 1019, 86 USPQ 70 (CCPA 1950).

Re claim 3: Kubatzki et al.(EP 0805 419 A2) disclose postage meter machine(Abstract, col. 4,lines 40-50) comprises an input/output control module(Fig. 4b, esp. item 209a) containing a modem interface and a scale interface(col. 1, line 45-col.

2, line 26), and wherein said postage calculator comprises a postage calculator interface(col. 2, lines 915), connected between said modem interface(col. 1, line 45-col. 2, line 26, col. 10, lines 5-20, Fig. 4b,esp. item 2037), said scale interface and said postage calculator interface and said scale comprising means for supplying a signal to switch to a switching state wherein said postage calculator, via said postage calculator interface, directly receives said rate table data (Fig. 4b,esp. item 2037).

Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. disclose(s) the claimed invention except switchover module and said control line. However, in the Abstract, Fig. 5, item 530, col. 1, lines 55-col. 2, line 25, and col. 2, line 65-col. 3, line 35 thereof, Aas disclose(s) a switchover module that controls data flow into peripheral devices. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. based on the teachings of Aas. The motivation to combine these references is to effectively control the flow of data into the postage meter or scale.

Re claim 4: Kubatzki et al.(EP 0805 419 A2) disclose a first contact group connected to said modem, and connected to said modem interface(col. 1, line 45-col. 2, line 26, col. 10, lines 5-20, Fig. 4b,esp. item 2037) to said postage calculator interface and to said scale interface, for operating said to set said switching state dependent on a signal(col. 1, lines 45-col. 2, line 10).

Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. disclose(s) the claimed invention except switchover module and a driver connected to said control line.

Art Unit: 3628

However, in the Abstract, Fig. 5, item 530, col. 1, lines 55-col. 2, line 25, and col. 2, line 65-col. 3, line 65 thereof, Aas disclose(s) a switchover module that controls data flow into peripheral devices and a control line responding to toggling of a data line and this inherently includes a driver in the equipment. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. based on the teachings of Aas. The motivation to combine these references is to effectively control the flow of data into the postage meter or scale. Further, first set of four lines, a second contact group connected and second set of four lines, first and second contact groups are old and well-known in the peripherals art because the various groupings of lines effectively enable connecting with multiple peripheral devices.

Re claim 6: Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. disclose(s) the claimed invention except control line is also connected to said calculator interface, which supplies said signal on said control line to set said switching state of said switchover module. However, in the Abstract, Fig. 5,item 530, col. 1, lines 55-col. 2, line 25, and col. 2, line 65-col. 3, line 65 thereof, Aas disclose(s) a switchover module that controls data flow into peripheral devices and a control line connecting computer devices that perform calculation. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. based on the teachings of Aas. The motivation to combine these references is to effectively control the flow of data into the postage meter or scale using a line with toggle responsiveness that ensures proper data flow throughout the system.

Re claim 7: Kubatzki et al.(EP 0805 419 A2) disclose scale comprises a keyboard having(Fig. 2, item 2), said keyboard being at least indirectly connected(Fig. 2, item 2,4,22,23,i.e. personal computer inherently has keyboard built in) to said postage calculator interface to cause said rate table data to be directly supplied to said postage calculator(col. 1, line 45-67, col. 10, lines 5-20, Fig. 4b,esp. item 2037).

Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. disclose(s) the claimed invention except an actuatable selection key and actuation of said selection key causing said signal to be generated on said control line for setting said switching state of said switching module. However, in the Abstract, Fig. 5, item 530, col. 1, lines 55-col. 2, line 25, and col. 2, line 65-col. 3, line 65, col. 7, lines 15-35, i.e. a PC inherently has a keyboard thereof, Aas disclose(s) predetermined toggling sequence generated within the PC which controls the control line, and switching state and switching module. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. based on the teachings of Aas. The motivation to combine these references is Aas enhances the features of Kubatzki et al. to make the system more effective and efficient in handling the control line of the switchover module.

Re claim 8: Kubatzki et al.(EP 0805 419 A2), Aas and Simionescu et al. disclose the claimed invention. Kubatzki et al.(EP 0805 419 A2) further disclose a postage calculator operates with existing rate table data and wherein said rate table data from said external source(col. 10, lines 5-20, Fig. 4b,esp. item 2037) comprise updated rate table data, and wherein said postage calculator includes a first memory area wherein

said existing rate table data are stored and a second memory area wherein said updated rate table data are stored after actuation of said selection key, said updated rate table data including conversion data identifying an effective date of the updated rate table data, and said postage calculator having a third memory area in which said conversion data are stored (Abstract, i.e. "memories" means more than one memory, col. 6, lines 24-col. 7, line 30) and said postage calculator automatically replacing said existing rate table data with said updated rate table data at a time of first use of said postage calculator following said effective date(col. 1, lines 45-65,i.e. adding an effective date to the downloaded information is old and well-known in computer arts, col. 4, lines 10-50).

Re claim 9: Kubatzki et al.(EP 0805 419 A2), Aas and Simionescu et al. disclose the claimed invention. Kubatzki et al.(EP 0805 419 A2) further disclose updated rate table data further include data representing additional information, and wherein said postage calculator has a fourth memory area for storing said data representing additional information (Abstract, i.e. "memories" means more than one memory, col. 6, lines 24-col. 7, line 30, col. 7, line 55col. 8,line 11).

Re claim 10: Kubatzki et al.(EP 0805 419 A2), Aas and Simionescu et al. disclose the claimed invention. Kubatzki et al.(EP 0805 419 A2) further disclose said scale comprises a clock/date module connected to said postage calculator, and wherein said postage calculator is programmed to automatically compare a date supplied by ~~said clock/date module with said conversion data and to replace said existing rate table~~ data with said updated rate table data when said conversion data equal or follow said

Art Unit: 3628

date supplied by said clock/date module(col. 1, lines 40-57, ,i.e. adding an effective date to the downloaded information is old and well-known in computer arts, col. 6, lines 5-57).

Re claim 11: Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. disclose(s) the claimed invention except switchover module is disposed externally of said postage meter machine. However, in Abstract, Fig. 5, item 530, col. 1, lines 55-col. 2, line 20, line 20-col. 3, line 65 thereof, Aas disclose(s) a switchover module that is external to the PC and this is the same as a switchover module external to the postage meter machine or to any machine. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. based on the teachings of Aas. The motivation to combine these references is to enhance the efficiency and effectiveness of the switchover function by placing it outside of the machine to which it sends data.

Re claim 12: Kubatzki et al.(EP 0805 419 A2), Aas and Simionescu et al. disclose the claimed invention. Kubatzki et al.(EP 0805 419 A2) further disclose said scale with said postage calculating module(col. 1, line 40-col. 2, line 15) is external from said postage meter machine(Abstract, col. 4, lines 10-50).

Re claim 14: Kubatzki et al.(EP 0805 419 A2), Aas and Simionescu et al. disclose the claimed invention. Kubatzki et al.(EP 0805 419 A2) disclose in said postage calculator(col. 1, line 25-col. 2, line 10) are combined and are both disposed externally from said postage meter machine(Abstract, col. 4, lines 10-50).

Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. disclose(s) the claimed invention except said switchover module. However, in Abstract, Fig. 5, item 530, col. 1, lines 55-col. 2, line 20, line 20-col. 3, line 65 thereof, Aas disclose(s) switchover module. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. based on the teachings of Aas. The motivation to combine these references is to pro-actively control the flow of data from one point to another point.

5. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kubatzki et al.(EP 0805 419 A2), Simionescu et al., and Aas as applied to claim 4 above, and further in view of Rothstein (U.S.PAT. 4485439 A).

Kubatzki et al.(EP 0805 419 A2), Simionescu et al., and Aas disclose(s) the claimed invention except said postage calculator interface comprises an RS-232 interface, and wherein each of said first and second sets of four lines comprises a TXD transmission line, an RXD reception line, a DTR reception readiness line, and a DSR transmission readiness line. However, in the Abstract, col. 1, lines 40-50, col. 4, lines 55-67, col. 6, lines 45-67 thereof, Rothstein discloses RS-232 interface, TXD, RXD, DTR and DSR lines that are used to connect equipment. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2), Simionescu et al., and Aas based on the teachings of Rothstein. The motivation to combine these

references is to effectively control the flow of data into the postage meter or scale with

various different transmission lines to permit flexibility in transmission. Although Rothestein does not mention a postage calculator, it does indicate various electronic devices are connected to the RS-232, TXD, RXD, DTR and DSR interfaces and lines.

6. Claim 13 rejected under 35 U.S.C. 103(a) as being unpatentable over Kubatzki et al.(EP 0805 419 A2), Simionescu et al., and Aas as applied to claim 11 above, and further in view of Ezzet et al.(U.S. PAT. 5414817 A).


Kubatzki et al.(EP 0805 419 A2), Simionescu et al., and Aas disclose(s) the claimed invention except said switchover module. However, in Abstract, Fig. 5, item 530, col. 1, lines 55-col. 2, line 20, line 20-col. 3, line 65 thereof, Aas disclose(s) switchover module. It would be obvious to one of ordinary skill in the art to modify the invention of Kubatzki et al.(EP 0805 419 A2) and Simionescu et al. based on the teachings of Aas. The motivation to combine these references is to pro-actively control the flow of data from one point to another point. Further, as indicated in Ezzet et al. in col. 1, lines 30-55, a docking station and its inherent functionality as a modem is old and well-known in the computer art. It would be obvious to combine functional equipment in the docking station in the combination of Kubatzki et al., Simionescu et al., and Aas because such a station already contains functional equipment that interacts with the computer and combining the equipment enhances operational functionality of the equipment since the data travels only a short distance to move from one piece of equipment to the next.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Debra F. Charles whose telephone number is (703) 305-4718. The examiner can normally be reached on 9-5 Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hyung S. Sough can be reached on (703) 308-0505. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Debra F. Charles
Examiner
Art Unit 3628


HYUNG SOUGH
SUPERVISOR
TECHNOLOGY CENTER 2600